

# FIELD TRIAL REPORT OF GUTFORTE IN BROILERS

#### 1.1 INTRODUCTION

**GUTFORTE** is a full-spectrum cocktail of eleven extremely effective probiotcs strains, fortified with Mannan oligosaccharides and Beta glucan providing a wide range of gut support and immunomodulation by colonizing across the complete digestive tract.

A trial was conducted in Poultry Farm, Haryana, India to evaluate the efficacy of Gutforte.

# **Poultry Farm Details:-**

Indotech Farm

• Consultant : Dr. Dua

Location : Faridabad, Haryana, India

• Number of Broilers : 2000

#### 1.2 METHOD

#### 1.2.1 PREPARATION AND APPLICATION

- **Selection of Broilers**: Selected 2000 broilers of Day-1 of age for Gutforte Supplementation and 5000 broilers were considered as control.
- **Supplementation**: 20-40 gm of Gut Forte was mixed with 10-20 ltr. of water for daily Supplementation.

For 2000 Broilers water supplementation						
Age in	Per	Per	Per Week(g)			
week	Morning(g)	Evening(g)				
1	10gm	10gm	140 gm			
2	13gm	13gm	182gm			
3	16gm	16gm	224 gm			
4	20gm	20gm	280 gm			
5	20 gm	20gm	240 gm			

#### **AURINKO HEALTHCARE PVT. LTD.**

Email: info@aurinkohealthcare.com



• Observed Health Parameters like Feed Conversion Ratio (FCR), Body weight gain and incidence of Necrotic Enteritis in Broilers during 34 days period.

## 1.3 HISTORY

The previous batches of Boilers were suffering with Necrotic Enteritis during  $3^{rd}$  and  $4^{th}$  weeks of age.


# **1.4 OBSERVATION**

S.no.	Parameter	Before application	Control group	With gut forte Application
1	Feed	Nil	1.5	1.48
	Conversion			
	Ratio			
2	Average	43 gm	1980 gm	2050 gm
	Body			
	Weight			
3	Diseases	Nil	7% birds	No case of Necrotic
	Prevalence		Suffered with	Enteritis reported
			Necrotic	
			Enteritis during	
			4 <sup>th</sup> week	

Email: info@aurinkohealthcare.com




# **Disease Incidence:-**



- Incidence of Necrotic Enteritis during 4th week was 7%.
- After Gut Forte supplementation disease prevalance rate reduced to 0%.

# FCR:-




 Improvement in FCR after addition of Gut Forte to broiler diet.

## **AURINKO HEALTHCARE PVT. LTD.**



# **Body Weight Gain:-**



• Improvement in body weight gain.

# 1.4 CONCLUSION

Gut forte may be used as non-antibiotic growth promoter in Poultry Farming to improve body weight, FCR and reduce the chances of Necrotic enteritis.

Email: info@aurinkohealthcare.com